



Journals and Books

- Bartholomä, A., Capperucci, R.M., (2014):** Fernerkundung zur Klassifizierung und Bewertung von Seeböden und Habitaten. Marschenrat zur Förderung der Forschung im Küstengebiet der Nordsee, 51, 58-63. ISSN 0931-5373
- Bartholomä, A., Holler, P., Capperucci, R. (2012):** Monitoring von sublitoralen Habitaten – Kartierung mit hydroakustischen Methoden. – Forum der Geoökologie, 23 (3), 14 – 21. ISSN: 0939-6632
- Bartholomä, A., Holler, P., Schrottke, K. and Kubicki, A. (2011):** Acoustic habitat mapping in the German Wadden Sea – Comparison of hydro-acoustic devices. J. Coast. Res., Spec. Iss. 64, ICS 2011 Proc., 1-5. ISSN: 0749-0208
- Bürk, D., Hass, H.C., Mielck, F., Bartholomä, A., Holler, P., Reimers, H.C., Kröncke, I., Markert, E. (2011):** Seafloor classification of a gully system offshore the island of Sylt (NW Germany). – Bulletin of the Geological Society of Finland, 83, Spec. Iss. 1, 20.
- Callies, U., Plüß, A., Kappenberg, J. and Kapitza, H. (2011):** Particle tracking in the vicinity of Helgoland, North Sea: a model comparison. Ocean Dynamics 61, 2121-2139. doi:10.1007/s10236-011-0474-8.
- Callies, U., Scharfe, M. (2014):** Mean spring conditions at Helgoland Roads, North Sea: Graphical modeling of the influence of hydro-climatic forcing and Elbe River discharge, J. Sea Res.101, 1-11. doi:10.1016/j.seares.2014.06.008
- Capperucci, R.M., (2013):** Marine habitat mapping: stretching the blue marble on a map. In: Recent impulses to Marine Sciences and Engineering. From coast to deep sea: multiscale approaches to marine sciences, ed. by Einsporn, M., Wiedling, J., Schöttener, S., DGM and ICBM, 178-189. ISBN 978-3-00-043157-9
- Donadi, S., Eriksson, B. K., Lettmann, K. A., Hodapp, D., Wolff J., Hillebrand, H. (2015):** The body-size structure of macrobenthos changes predictably along gradients of hydrodynamic stress and organic enrichment. Marine Biology162:675–685. doi:10.1007/s00227-015-2614-z
- Emeis, K.-C., van Beusekom, J., Callies, U., Ebinghaus, R., Kannen, A., Kraus, G., Kröncke, I., Lenhart, H., Lorkowski, I., Matthias, V., Möllmann, C., Pätsch, J., Scharfe, M., Thomas, H., Weisse, R., Zorita, E. (2015):** The North Sea – A ShelfSea in the Anthropocene. Journal of Marine Systems. 141, 18-33. doi:10.1016/j.jmarsys.2014.03.012.
- Gutperlet, R., Capperucci, R. M., Bartholomä, A., Kröncke, I., (2014):** Benthic biodiversity changes in response to dredging activities during the construction of a deep-water port construction. Mar Biodiv.45, 819-839. doi 10.1007/s12526-014-0298-0
- Herrling, G., Winter, C. (2014):** Morphological and sedimentological response of a mixed-energy barrier island tidal inlet to storm and fair-weather conditions. Earth Surface Dynamics, 2, 363-382. doi:10.5194/esurf-2-363-2014

- Herrling, G., Winter, C. (2015):** Tidally- and wind-driven residual circulation at the multiple-inlet system East Frisian Wadden Sea. *Continental Shelf Research*, 106, 45–59. doi:10.1016/j.csr.2015.06.001
- Hofmeister, R., Lemmen, C., Kerimoglu, O., Wirtz, K., Nasermoaddeli, M. H. (2014):** The Predominant Processes Controlling Vertical Nutrient and Suspended Matter Fluxes across Domains - Using the New MOSSCO System from Coastal Sea Sediments up to the Atmosphere. ICHE 2014, Hamburg - Lehfeldt & Kopmann (eds) - © 2014 Bundesanstalt für Wasserbau ISBN 978-3-939230-32-8
- Hodapp, D., Kraft, D., Hillebrand, H. (2014):** Can monitoring data contribute to the biodiversity-ecosystem function debate? Evaluating data from a highly dynamic ecosystem. *Biodiversity and Conservation* 23(2), 405-419. doi:10.1007/s10531-013-0609-y
- Hodapp, D., Meier, S., Muijsers, F., Badewien, T., Hillebrand, H. A. (2015):** Structural equation modeling approach to the diversity-productivity relationship of Wadden Sea phytoplankton. *Marine Ecology Progress Series*, 523, 31-40. doi:10.3354/meps11153
- Jung, R., Adolph, W., Ehlers, M., Farke, H. (2015):** A multi-sensor approach for detecting the different land covers of tidal flats in the German wadden sea – a case study at Norderney. *Remote Sensing of Environment*, 170, 188 – 202. doi:10.1016/j.rse.2015.09.018
- Kowalski, N., Dellwig, O., Beck, M., Gräwe, U., Neubert, N., Nägler, T. F. Badewien, T. H., Brumsack, H.-J., van Beusekom, J. E. E., Böttcher, M. E. (2013):** Pelagic molybdenum concentration anomalies and the impact of sediment resuspension on the molybdenum budget in two tidal systems of the North Sea. *Geochimica et Cosmochimica Acta* 119, 198-211. doi:10.1016/j.gca.2013.05.046
- Kösters, F. and Winter, C. (2014):** Exploring German Bight coastal morphodynamics based on modelled bed shear stress. *Geo-Marine Letters*, 34(1), 21-36. doi:10.1007/s00367-013-0346-y
- Kourafalou, V. H., De Mey, P., Le Hénaff, M., Charria, G., Edwards, C. A., He, R., Herzfeld, M., Pasqual, A., Stanev, E., Tintoré, J., Usui, N., Van Der Westhuysen, A., Wilkin, J., Zhu, X. (2015):** Coastal Ocean Forecasting: system integration and validation. *Journal of Operational Oceanography*, 7 (3), 129-148. doi:10.1080/1755876X.2015.1022336
- Lehner, S., Pleskachevsky, A. and Bruck, M. (2012):** High resolution satellite measurements of coastal wind field and sea state, *International Journal of Remote Sensing*, 33 (23), 7337-7360. doi:10.1080/01431161.2012.685975
- Markert, E., Holler, P., Kröncke, I., Bartholomä, A. (2013):** Benthic habitat mapping of sorted bedforms using hydroacoustic and ground-truthing methods in coastal waters of the German Bight. *Estuar. Coast. Shelf Sci.*, 129, 94-104. doi: 10.1016/j.ecss.2013.05.027
- Markert, E., Kröncke, I., Kubicki, A. (2015):** Small scale morphodynamics of shoreface-connected ridges and their impact on benthic macrofauna. *J. Sea Res.* doi:10.1016/j.seares.2015.02.001
- Marquard, E., Dauber, J., Doerpinghaus, A., Dröschmeister, R., Frommer, J., Frommolt, K.-H., Gemeinholzer, B., Henle, K., Hillebrand, H., Kleinschmit, B., Klotz, S., Kraft, D., Premke-Kraus, M., Römbke, J., Vohland, K., Wägele, W. (2013):** "Biodiversitätsmonitoring in Deutschland: Herausforderungen für Politik, Forschung und Umsetzung", *Natur und Landschaft*, 88 (8), 337-341. ISSN: 0028-0615

- Mielck, F. Hass, H. C., Betzler, C. (2014):** High-resolution hydroacoustic seafloor classification of sandy environments in the German Wadden Sea. *Journal of Coastal Research*, 30 (6), 1107-1117. doi: <http://dx.doi.org/10.2112/JCOASTRES-D-12-00165.1>
- Mielck, F. , Bartsch, I. , Hass, H. C. , Wölfl, A. C. , Bürk, D. and Betzler, C. (2014):** Predicting spatial kelp abundance in shallow coastal waters using the acoustic ground discrimination system RoxAnn , *Estuarine Coastal and Shelf Science*, 143 , 1-11. doi: <http://dx.doi.org/10.1016/j.ecss.2014.03.016>
- Mielck, F., Holler, P., Bürk, D., Hass, H.C. (2015):** Interannual variability of sorted bedforms in the coastal German Bight (SE North Sea). *Continental Shelf Research* 111, 31-41. <http://dx.doi.org/10.1016/j.csr.2015.10.016>
- Müller, S., Stanev, E.V., Schulz-Stellenfleth, J., Staneva, J. and W. Koch (2013):** Atmospheric boundary layer rolls: Quantification of their effect on the hydrodynamics in the German Bight, *J. Geophys. Res. Oceans*, 118, 5036–5053, doi:10.1002/jgrc.20388.
- Pein, J. U., Stanev, E. V., Zhang, Y. J. (2014):** The tidal asymmetries and residual flows in Ems Estuary. *Ocean Dynamics*, 65 (1), 77-92. doi:10.1007/s10236-014-0772-z
- Schmidt, A., Rottensteiner, F., Soergel, U. (2013):** Water-Land-Classification in Coastal Areas with Full Waveform Lidar Data, *PFG 2* (2013), 71-81. doi: 10.1127/1432-8364/2013/0159
- Schmidt, A., Niemeyer, J., Rottensteiner, F., Soergel, U. (2014):** Contextual Classification of Full Waveform Lidar Data in the Wadden Sea. *IEEE Geoscience and Remote Sensing Letters*, 11 (9), 1614-1618. doi:10.1109/LGRS.2014.2302317
- Stanev, E. S., Al-Nadhairi, R., Staneva, J., Schulz-Stellenfleth, J. and A. Valle-Levinson (2014):** Tidal wave transformations in the German Bight. *Ocean Dynamics* 64, 951–968. doi: 10.1007/s10236-014-0733-6
- Stanev E.V., Al-Nadhairi R. and Valle-Levinson A. (2014):** The role of density gradients on tidal asymmetries in the German Bight. *Ocean Dynamics*. doi:10.1007/s10236-014-0784-8.
- Stanev, E.V., Schulz-Stellenfleth, J., Staneva, J., Grayek, S., Seemann, J., Petersen, W. (2011):** Coastal observing and forecasting system for the German Bight – estimates of hydrophysical states., *Ocean Sci.* 7, 569-583. doi:10.5194/os-7-569-2011
- Stanev, E., Schulz-Stellenfleth, J. (2014):** Methods of Data Assimilation. *Die Küste*, 81, 133-152.
- Staneva, J., Behrens, A., Groll, N. (2014):** Recent Advances in Wave Modelling for the North Sea and German Bight. *Die Küste*, 81, 233-254.
- Teeling, H., Fuchs, B.M., Becher, D., Klockow, C., Gardebrecht, A., Bennke, C.M., Kassabgy, M., Huang, S., Mann, A.J., Waldmann, J., Weber, M., Klindworth, A., Otto, A., Lange, J., Bernhardt, J. Reinsch, C., Hecker, M., Peplies, J., Bockelmann, F.D., Callies, U., Gerdtz, G., Wichels, A., Wiltshire, K. H., Glöckner, F. O., Schweder, T., Amann, R.(2012):** Substrate-controlled succession of distinct marine bacterioplankton populations induced by phytoplankton bloom. *Science* 336 (6081), 608-611. doi: 10.1126/science.1218344
- van Bernem, K.H. (2010):** Die Verschmutzung der Meereslebensräume durch Öl. In: *World Ocean Review, Mit den Meeren leben*. Herausgegeben von maribus in Kooperation mit Ozean der Zukunft, Kieler Meereswissenschaften, 92-99. ISBN: 978-3-86648-000-1

http://worldoceanreview.com/wp-content/downloads/wor1/WOR1_gesamt.pdf

van Beusekom, J.E.E., Buschbaum, C., Reise, K. (2012):Wadden Sea Tidal Basins and the Mediating Role of the North Sea in Ecological Processes: Scaling up of Management? *Ocean& Coastal Management* 68, 69-78. doi:10.1016/j.ocecoaman.2012.05.002

van Beusekom, J.E.E., de Jonge, V.N. (2012): Dissolved organic phosphorus: An indicator of organic matter turnover? *Est. Coast. And Shelf Sci* 108, 29-36. doi:10.1016/j.ecss.2011.12.004

Waldmann, C, Spiesecke, U., Reuter, R., Klinger, M. and Schulz, M. (2012): A sensor network for long-term monitoring of sediment transport in the coastal region. *Proceedings of Oceans 2012 (Hampton Roads, VA, USA)*; Preprint, endgültige Publikation in IEEE Xplore. ISBN: 978-1-4673-0829-8; doi: 10.1109/OCEANS.2012.6405068.

Winter, C., Bartholomä, A., Capperucci, R.M., et al. (2014): Wissenschaftliche Konzepte für ein Monitoring des ökologischen Zustands des deutschen Küstenmeeres, Wasser und Abfall 07-08/2014, 21-26, doi:10.1365/s35152-014-0685-7

Wirtz K.W. (2013): How fast can plankton feed? Maximum ingestion rate of planktonic feeders scales with digestive surface area. *Journal of Plankton Research* 35, 33 – 48. doi: 10.1093/plankt/fbs075

Wirtz, K.W, Sommer, U. (2013): Mechanistic origins of variability in phytoplankton dynamics. Part II: analysis of mesocosm blooms under climate change scenarios, *Marine Biology*, 160, 2503–2516. doi:10.1007/s00227-013-2271-z

Wirtz, K.W. (2013): Mechanistic origins of variability in phytoplankton dynamics: Part I: niche formation revealed by a size-based model, *Marine Biology*, 160, 2319–2335. doi:10.1007/s00227-012-2163-7

Conference Proceedings

Bartholomä, A., Holler, P. (2012): Distribution analysis of subtidal habitats in German Wadden Sea on the base of hydro-acoustic remote sensing data. *Abstract Volume, Tidalites 2012, 8th International Conference on Tidal Environments, Caen, France, July 31 – August 2, 2-9.*

Capperucci, R. M., Holler, P., Kubicki, A., Bartholomä, A., (2013): Developing new concepts for environmental monitoring: the WIMO Project (Germany). *GEOHAB 2013, International Conference on Marine Geological and Biological Habitat Mapping, Rome, Italy, May.*

Capperucci, R.M., Adolph, W., Hodapp, D., Jung, R., Schmidt, A., Holler, P., Bartholomä, A., Ehlers, M., Sörgel, U., Hillebrand, H., Farke, H., (2013): From 630 km to the ground: a new multiscale approach to scientific habitat monitoring of intertidal and subtidal areas. *GEOHAB 2013, International Conference on Marine Geological and Biological Habitat Mapping, Rome, Italy, May.*

Capperucci, R. M., Bartholomä, A. (2012): Sediment vs Topographic Roughness: Anthropogenic Effects on Acoustic Seabed Classification. In: *Hydro12 - Taking care of the sea, Rotterdam, Netherlands, 13 - 15 November. (Gewinner des Golden Compass Awards)*

Ehlers, M., Klonus, S., Tomowski, D., Michel, U., Reinartz, P. (2010):Automated Methods for Change Detection, *30th EARSeL Symposium, Paris, France (CD Publication), 9.*

- Ehlers, M., Klonus, S., Tomowski, D., Michel, U., Reinartz, P. (2010):** Automated Change Detection from High-Resolution Remote Sensing Images, Geospatial Data and Geovisualization, Environment, Security, and Society, ISPRS Comm. IV, Orlando, Florida, USA, (CD Publication) 8.
- Ehlers, M., Tomowski D., Klonus, S., (2011):** Comparison of Automated Change Detection Methods for Disaster Areas, 31st EARSeL Symposium 2011, Prag, Hungary (CD publication) 8.
- Gutperlet, R., Capperucci, R. M., Reiss, H., Bartholomä, A., Kröncke, I., (2013):** Macrofauna and sediment changes in a construction area. GEOHAB 2013, International Conference on Marine Geological and Biological Habitat Mapping, Rome, Italy, May.
- Jung, R., Ehlers, M., Klonus, S. (2013):** High Resolution Classification and Change Detection of the German Coastal Tidal Zone using Multisensoral Remote Sensing Data, Proceedings, 35th ISRSE, Peking, China.
- Klonus, S., Ehlers, M., Schmidt, A., Soergel, U., Adolph, W., Farke, H. (2012):** Change Detection in Wadden Sea Areas Using RapidEye Data, Proceedings, 32st EARSeL Symposium, Mykonos, Greece.
- Klonus, S., Ehlers, M., Schoof, M., Wohlfart, R., Jarmer, T. (2012):** Vergleich der radiometrischen und geometrischen Auflösung von RapidEye und SPOT 5, Vorträge, 32. Wissenschaftliche Tagung der Deutschen Gesellschaft für Photogrammetrie, Fernerkundung und Geoinformation (DGPF), Publikationen der DGPF, 21, 44-53.
- Klonus, S., Tomowski, D., Ehlers, M., Wohlfahrt, R. (2011):** Potential of Rapideye image data for Wadden Sea monitoring, Proceedings of 31st EARSeL Symposium 2011, Prague, Hungary.
- Markert, E., Holler, P., Kröncke, I., Bartholomä, A., (2013):** The influence of benthic macrofauna on hydroacoustic methods. GEOHAB 2013, International Conference on Marine Geological and Biological Habitat Mapping, Rome, Italy, May.
- Schmidt, A., Rottensteiner, F., Soergel, U. (2011):** Untersuchung zur Erkennung von Wasserflächen in Full-Waveform-Laserscanner-Daten. In: DGPF Tagungsband 20/2011, 391-398, Mainz, April.
- Schmidt, A., Rottensteiner, F., Soergel, U. (2011):** Detection of Water Surfaces in Full-Waveform Laser Scanning Data. In: IntArchPhRS vol. XXXVIII-4/W19, 6, Hannover, Germany
- Schmidt, A., Adolph, W., Klonus, S., Ehlers, M., Farke, H., Soergel, U. (2012):** Potential of Airborne Laser Scanning Data for Classification of Wadden Sea Areas, 32st EARSeL Symposium, 8, Mykonos, Greece
- Schmidt, A., Rottensteiner, F., Soergel, U. (2012):** Classification of Airborne Laser Scanning Data in Wadden Sea Areas Using Conditional Random Fields. 22th Congress of ISPRS, 6, Melbourne, Australia.
- Schmidt, A., Rottensteiner, F., Soergel, U. (2013):** Monitoring concepts for coastal areas using lidar data, In: IntArchPhRS vol. XL-1/W1, 6, Hannover, Germany.
- Schmidt, A., Soergel, U. (2013):** Lidar data for classification and scientific monitoring in coastal areas, In: Proceedings of Coastal Dynamics 2013, 1473-1482, June 25-28, Arcachon, France.

Schmidt, A., Soergel, U. (2013): Monitoring and change detection of Wadden Sea areas using Lidar data. In: International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Volume XL-7/W2, 2013, ISPRS2013-SSG, 11–17 November, Antalya, Turkey

Schmidt, A., Rottensteiner, F., Sörgel, U., Heipke, C. (2014): Extraction of fluvial networks in lidar data using marked point processes. In: IntArchPhRS Vol. XL-3, 297-304, ISPRS Technical commission III Symposium, Zurich, Switzerland, September,

Schmidt, A.; Rottensteiner, F.; Soergel, U.; Heipke, C. (2015): A Graph Based Model for the Detection of Tidal Channels using Marked Point Processes. In: The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Volume XL-3/W3, 115-121.

Tomowski, D., Klonus, S., Ehlers, M., Michel, U., Reinartz, P. (2010):Change Visualization through a Texture-Based Analysis Approach, in: Wagner W., B. Székely (eds.): ISPRS TC VII Symposium – 100 Years ISPRS, IAPRS, Vol. XXXVIII, Part 7A, 263-268, Wien, Austria

Dissertations

Herrling, G. (2015):Morphodynamics of Barrier Island Systems, Universität Bremen, <http://nbn-resolving.de/urn:nbn:de:gbv:46-00104460-11>

Hodapp, D. (2014): The suitability of biodiversity as indicator for ecosystem functioning.

Markert, E.(2015): Habitat mapping of the seabed in the German Bight based on the study of small- and large-scale variability of macrofauna communities and their hydroacoustic signals. Universität Oldenburg, 117 pp.

Mielck, F. (2013): Seafloor Habitat Mapping and Monitoring Approaches for the German Bight, PhD Thesis, University of Hamburg, 118p.

Reports

Behre, T., Giebel, N., Gräuler, S., Hütten, L., Lüttmann, S., Mescheder, A., Sandmann, M., Schiller, I., Schoof, M., Ströer, D., Thielscher, M., Wohlfahrt, R. (2012): Umsetzungsmöglichkeiten von Change-Detection-Verfahren mit vorverarbeiteten RapidEye-Daten im Rahmen der WIMO-Projekte, Institut für Geoinformatik und Fernerkundung, Universität Osnabrück, 128 S.

Callies, U. (2012): Langzeitmodellierung zur Abschätzung von Trends und Risiken von Ölverschmutzungen. In: Öl im Meer, Risiken, Vorsorge und Bekämpfung, Berichte des BSH 48, S. 96-101. http://www.bsh.de/de/Produkte/Buecher/Berichte_/Bericht48/Bericht48.pdf

Jung, R. (2013):4. Zwischenbericht zum Projekt: "Hochgenaue Klassifizierung und Feststellung von Veränderungen im Wattenmeer durch Fusion und integrierte Auswertung multisensoraler Fernerkundungsdaten", DLR-Resabericht, Universität Osnabrück.

Klonus, S. (2010): 1. Zwischenbericht zum Projekt: "Hochgenaue Klassifizierung und Feststellung von Veränderungen im Wattenmeer durch Fusion und integrierte Auswertung multisensoraler Fernerkundungsdaten", DLR-Resa-Bericht, Universität Osnabrück.

Klonus, S. (2011): 2. Zwischenbericht zum Projekt: "Hochgenaue Klassifizierung und Feststellung von Veränderungen im Wattenmeer durch Fusion und integrierte Auswertung multisensoraler Fernerkundungsdaten", DLR-Resa-Bericht, Universität Osnabrück.

Klonus, S. (2012): 3. Zwischenbericht zum Projekt: "Hochgenaue Klassifizierung und Feststellung von Veränderungen im Wattenmeer durch Fusion und integrierte Auswertung multisensoraler Fernerkundungsdaten", DLR-Resabericht, Universität Osnabrück.

Klonus, S., Ehlers, M. (2012): Potential von RapidEye Bilddaten für das Wattenmeer-monitoring, In: E. Borg, H. Daedelow & R. Johnson (Ed.): In RapidEye Science Archive (RESA) - Vom Algorithmus zum Produkt, GITO.

Klonus, S., Tomowski, D., Ehlers, M. (2010): Hochgenaue Klassifizierung und Feststellung von Veränderungen im Wattenmeer durch Fusion und integrierte Auswertung multisensoraler Fernerkundungsdaten. DLR-Resa-Bericht, Universität Osnabrück.

Klonus, S., Tomowski, D., Ehlers, M., Michel U., Reinartz, P. (2011): Change Detection mittels Fourieranalysen, segment- sowie texturbasierten Methoden, gi-reports@igf, Band 14, 77 S.

van Bernem, K.H. (2012): Sensitivitäten von Meeresküsten. In: Öl im Meer, Risiken, Vorsorge und Bekämpfung, Berichte des BSH 48, 50-57.
http://www.bsh.de/de/Produkte/Buecher/Berichte_/Bericht48/Bericht48.pdf